



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Excalibur Resources Ltd.

Suite 2300, West Hastings Street
Vancouver BC V6E 3X2 Canada

Submitted By:

Dianne Szigety

Receiving Lab:

Canada-Vancouver

Received:

July 30, 2008

Report Date:

September 09, 2008

Page:

1 of 5

CERTIFICATE OF ANALYSIS

VAN08007781.1

CLIENT JOB INFORMATION

Project: Silver King
Shipment ID: 08-01
P.O. Number
Number of Samples: 104

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Excalibur Resources Ltd.
Suite 2300, West Hastings Street
Vancouver BC V6E 3X2
Canada

CC: H. Mumin
Brittan Jones

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
R150	104	Crush, split and pulverize rock to 200 mesh		
1EX	104	4 Acid digestion ICP-MS analysis	0.25	Completed
DIS-RJT	104	Warehouse handling / Disposition of reject		

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 2 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
21521	Rock	3.68	3.3	8159	1078	3115	92.3	163.1	71.8	>10000	5.30	55	3.9	<0.1	0.5	415	37.6	53.7	<0.1	79	13.01
21523	Rock	2.25	2.2	5603	577.7	842	32.0	290.2	106.2	>10000	8.53	83	2.2	<0.1	0.5	588	9.8	6.8	<0.1	68	17.49
21525	Rock	1.12	0.3	162.9	34.3	125	1.3	7.7	8.8	1256	3.15	3	1.4	<0.1	3.9	458	0.7	2.0	0.2	77	2.13
21526	Rock	0.96	1.6	>10000	724.7	1922	24.5	148.6	91.7	>10000	5.54	92	2.6	<0.1	2.8	309	33.5	46.7	<0.1	209	0.64
21527	Rock	2.04	0.4	46.4	74.2	584	0.5	52.2	27.2	6161	5.45	3	0.4	<0.1	2.0	270	4.7	1.5	<0.1	244	4.21
21528	Rock	2.73	1.5	>10000	70.7	976	53.0	71.1	36.5	>10000	5.75	17	1.0	<0.1	2.0	396	9.4	23.1	<0.1	218	4.17
21529	Rock	2.71	52.5	199.8	1487	2532	44.3	29.0	41.7	7402	6.72	517	2.4	3.7	1.2	101	41.6	49.9	<0.1	320	0.56
21530	Rock	3.90	181.7	148.9	1604	5888	56.3	24.2	13.8	5607	2.44	85	1.2	5.5	0.3	121	76.2	53.5	0.3	403	3.92
21531	Rock	1.40	526.9	160.9	2116	6829	36.5	47.4	31.6	9319	4.60	104	2.9	6.4	0.8	426	104.0	42.9	<0.1	743	9.69
21532	Rock	3.01	177.4	140.4	3081	1372	60.3	18.7	12.8	620	6.35	443	2.5	12.3	1.2	128	15.7	50.5	0.9	570	0.05
21533	Rock	1.69	10.9	126.2	41.7	125	0.5	22.2	46.6	2469	9.08	31	1.1	<0.1	1.2	437	1.1	4.8	<0.1	287	0.21
21534	Rock	3.44	288.1	265.1	>10000	>10000	>200	20.4	12.8	>10000	2.40	90	1.5	6.2	0.4	91	282.6	250.2	<0.1	423	4.59
21541	Rock	4.03	2.9	7652	2845	2393	57.0	93.4	42.3	>10000	4.99	53	1.4	<0.1	1.6	192	11.5	123.0	<0.1	176	2.24
21542	Rock	4.79	8.3	>10000	8607	942	64.2	98.6	39.1	>10000	4.86	25	1.5	<0.1	2.2	140	10.7	24.8	<0.1	245	2.39
21543	Rock	0.70	6.1	>10000	5952	640	50.4	89.1	42.7	>10000	5.09	25	1.5	<0.1	2.2	233	7.5	27.6	<0.1	255	5.37
21544	Rock	2.02	7.1	>10000	454.1	710	>200	63.7	43.5	>10000	4.28	167	0.9	<0.1	1.7	181	13.4	951.0	<0.1	187	3.42
21545	Rock	2.32	6.2	5988	246.5	1111	89.4	71.5	31.9	>10000	3.94	190	1.4	<0.1	2.4	166	18.1	338.6	<0.1	262	4.25
21546	Rock	1.06	8.3	>10000	1450	332	54.6	100.5	29.7	>10000	4.19	28	0.9	<0.1	1.9	194	3.4	52.2	<0.1	218	4.36
21547	Rock	4.63	8.5	>10000	310.5	2564	>200	80.3	46.9	>10000	6.30	743	1.7	<0.1	0.9	166	37.0	3491	<0.1	87	7.11
21548	Rock	4.13	33.9	>10000	437.8	2863	>200	69.5	39.8	>10000	6.26	133	1.6	<0.1	1.3	161	35.3	945.2	<0.1	143	5.43
21549	Rock	3.15	0.2	131.4	15.1	94	3.8	6.1	9.1	1438	3.37	10	1.2	<0.1	2.9	633	0.4	21.0	0.2	94	2.46
21550	Rock	2.32	0.4	66.6	16.9	78	1.6	5.0	9.7	1138	2.96	6	1.2	<0.1	2.8	482	0.2	7.3	<0.1	74	2.19
21551	Rock	1.45	1.2	27.5	21.7	83	0.9	6.6	5.9	423	3.08	12	1.3	<0.1	2.5	234	0.2	5.6	3.4	75	0.43
21552	Rock	1.33	0.8	8.6	20.8	191	0.2	193.7	47.7	1594	7.30	49	1.3	<0.1	2.4	453	0.1	6.5	0.2	248	4.39
21553	Rock	1.14	0.5	1229	9.8	103	1.6	22.1	30.6	1417	5.48	16	0.6	<0.1	2.9	344	0.3	5.6	0.1	318	4.90
21554	Rock	1.10	0.5	80.3	20.4	58	0.2	60.3	25.9	1554	5.58	18	1.0	<0.1	2.3	596	0.2	3.4	0.1	224	6.15
21555	Rock	1.91	1.2	1349	951.3	434	11.5	35.6	29.3	>10000	4.39	45	1.4	<0.1	2.5	398	5.2	23.4	<0.1	142	3.70
21556	Rock	1.50	0.9	920.0	127.4	404	4.8	53.5	25.5	>10000	5.33	15	1.3	<0.1	2.9	224	2.9	30.5	<0.1	207	3.80
21557	Rock	0.72	4.9	>10000	3708	3908	153.1	63.0	34.1	>10000	7.44	45	1.6	<0.1	1.5	217	50.3	174.5	<0.1	120	4.25
21558	Rock	1.42	6.5	>10000	6447	6275	>200	73.8	40.2	>10000	10.09	44	1.7	<0.1	0.8	208	97.4	143.4	<0.1	63	1.00



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 2 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	Analyte	Unit	MDL	1EX P	1EX La	1EX Cr	1EX Mg	1EX Ba	1EX Ti	1EX Al	1EX Na	1EX K	1EX W	1EX Zr	1EX Ce	1EX Sn	1EX Y	1EX Nb	1EX Ta	1EX Be	1EX Sc	1EX Li	1EX S	
				%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
				0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
21521	Rock			0.047	3.1	83	3.53	1333	0.068	1.37	0.014	0.86	1.5	19.1	5	0.3	4.0	0.5	<0.1	<1	6	6.3	0.3	
21523	Rock			0.043	2.7	59	4.95	997	0.044	1.10	0.019	0.59	2.3	26.8	5	0.2	4.3	0.4	<0.1	<1	9	5.1	0.3	
21525	Rock			0.113	15.3	9	0.81	695	0.115	8.60	3.553	2.59	0.7	42.0	31	0.8	9.9	2.5	0.2	2	7	16.9	<0.1	
21526	Rock			0.267	9.6	124	0.44	809	0.208	8.22	0.103	3.06	4.1	50.2	20	0.6	8.2	1.6	<0.1	2	12	6.4	0.4	
21527	Rock			0.278	8.9	99	0.67	771	0.199	8.32	2.225	2.51	3.0	14.0	19	0.6	6.1	1.1	<0.1	1	11	5.6	<0.1	
21528	Rock			0.253	11.6	94	0.83	1068	0.150	7.50	1.605	2.67	1.1	12.3	22	0.6	7.8	1.0	<0.1	1	12	4.7	0.6	
21529	Rock			0.132	6.4	136	0.19	888	0.132	5.67	0.127	2.55	11.0	28.7	12	0.4	5.2	0.7	<0.1	1	24	3.2	0.4	
21530	Rock			0.048	2.2	44	0.57	368	0.058	1.75	0.148	1.48	5.2	8.4	4	0.3	3.3	0.3	<0.1	<1	8	1.5	0.8	
21531	Rock			0.099	4.1	71	1.77	80	0.120	3.98	1.129	1.84	12.6	21.3	8	0.6	6.1	0.6	<0.1	2	16	2.9	3.2	
21532	Rock			0.131	5.1	134	0.15	743	0.141	5.58	0.312	2.78	16.2	30.8	10	0.5	3.4	0.6	<0.1	1	24	3.8	0.2	
21533	Rock			0.103	7.2	22	0.29	849	0.182	8.12	1.705	2.46	0.8	23.9	15	0.6	7.1	0.9	<0.1	1	16	21.0	0.2	
21534	Rock			0.049	2.3	42	1.55	416	0.059	1.72	0.055	1.68	6.9	8.5	4	0.2	2.7	0.4	<0.1	1	7	2.5	1.1	
21541	Rock			0.136	7.7	137	0.58	732	0.108	4.33	0.051	2.55	1.4	27.6	15	0.4	6.4	0.9	<0.1	<1	14	5.0	0.2	
21542	Rock			0.192	10.2	185	0.87	325	0.208	6.72	0.045	3.30	4.7	30.0	20	0.7	6.8	1.4	<0.1	1	22	6.3	1.5	
21543	Rock			0.181	10.4	156	1.63	708	0.210	6.56	0.040	3.03	5.0	41.3	20	0.3	7.3	1.6	<0.1	2	22	8.3	0.9	
21544	Rock			0.129	8.0	128	1.04	577	0.170	5.13	0.136	3.03	1.6	27.2	16	0.3	6.9	1.4	<0.1	<1	18	4.4	1.1	
21545	Rock			0.228	12.2	174	1.56	996	0.238	7.53	0.096	3.13	1.9	45.3	23	0.4	8.9	1.4	<0.1	1	25	10.1	1.0	
21546	Rock			0.161	8.8	135	1.43	665	0.178	6.12	0.040	2.91	4.7	31.2	17	0.6	6.0	1.1	<0.1	<1	20	6.4	1.1	
21547	Rock			0.065	5.2	66	2.60	388	0.061	2.34	0.018	1.80	0.8	21.8	10	0.2	5.0	0.5	<0.1	<1	9	3.6	1.5	
21548	Rock			0.093	7.5	75	1.98	501	0.094	3.34	0.023	2.53	2.3	22.9	13	0.2	5.5	0.7	<0.1	<1	12	5.0	1.5	
21549	Rock			0.094	10.1	9	0.84	533	0.326	7.75	3.898	1.70	0.8	45.9	22	1.2	15.2	8.9	0.4	2	7	16.9	<0.1	
21550	Rock			0.108	11.2	5	0.74	774	0.163	7.67	3.004	2.66	1.6	38.8	23	0.8	10.5	4.7	0.3	2	6	17.0	<0.1	
21551	Rock			0.102	6.5	7	0.41	710	0.132	7.15	2.539	2.91	3.4	39.1	14	0.9	4.0	3.0	0.2	2	5	21.6	0.1	
21552	Rock			0.183	10.5	395	5.34	1515	0.354	6.47	1.544	3.12	0.5	56.5	20	0.6	10.7	2.8	0.1	<1	25	35.1	<0.1	
21553	Rock			0.164	14.5	224	3.85	1068	0.445	6.44	0.169	3.34	0.8	21.4	30	1.0	15.3	6.3	0.3	2	23	51.9	<0.1	
21554	Rock			0.188	7.9	163	2.74	733	0.309	6.36	1.689	3.21	0.8	23.4	16	0.5	12.5	2.3	0.1	<1	20	24.0	<0.1	
21555	Rock			0.233	11.5	83	0.82	1237	0.137	6.56	0.195	3.65	2.0	41.7	21	0.3	8.8	1.2	<0.1	<1	10	3.5	0.6	
21556	Rock			0.210	12.9	98	1.35	794	0.171	7.20	0.152	3.61	1.3	38.3	24	0.4	9.3	1.2	<0.1	2	11	8.1	<0.1	
21557	Rock			0.121	8.6	59	1.02	770	0.069	3.89	0.099	3.02	1.7	27.5	15	0.3	6.2	0.4	<0.1	1	7	4.0	0.7	
21558	Rock			0.072	7.5	31	0.28	726	0.023	2.07	0.095	2.09	1.9	13.7	12	0.1	5.3	0.1	<0.1	1	5	1.3	0.5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Excalibur Resources Ltd.

Suite 2300, West Hastings Street
Vancouver BC V6E 3X2 Canada

Project:

Silver King

Report Date:

September 09, 2008

Page:

2 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	1EX	1EX
Analyte	Rb	Hf
Unit	ppm	ppm
MDL	0.1	0.1
21521	Rock	29.1 0.4
21523	Rock	20.3 0.3
21525	Rock	79.9 1.2
21526	Rock	118.3 1.2
21527	Rock	77.9 0.4
21528	Rock	87.0 0.6
21529	Rock	51.8 0.8
21530	Rock	28.3 0.2
21531	Rock	40.7 0.5
21532	Rock	59.4 0.9
21533	Rock	65.1 0.6
21534	Rock	31.4 0.3
21541	Rock	56.0 0.8
21542	Rock	94.4 1.0
21543	Rock	86.5 1.0
21544	Rock	65.0 0.8
21545	Rock	98.6 1.1
21546	Rock	68.2 0.9
21547	Rock	45.2 0.3
21548	Rock	61.4 0.6
21549	Rock	40.8 1.6
21550	Rock	75.6 1.2
21551	Rock	82.7 1.2
21552	Rock	64.0 1.5
21553	Rock	125.6 0.8
21554	Rock	57.4 0.9
21555	Rock	95.8 0.7
21556	Rock	126.5 0.8
21557	Rock	79.3 0.6
21558	Rock	50.2 0.3



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 3 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
21559	Rock	3.41	4.0	>10000	805.2	1734	166.8	58.6	27.1	>10000	3.81	125	1.4	<0.1	2.9	184	22.9	759.7	<0.1	182	2.78
21560	Rock	1.04	0.3	52.9	80.9	320	0.5	51.9	18.1	2854	5.21	5	1.3	<0.1	3.4	192	1.0	4.2	<0.1	226	2.11
21561	Rock	0.96	5.9	4316	4888	1255	89.3	70.3	43.0	>10000	2.76	280	1.7	<0.1	2.6	138	14.1	536.4	0.1	208	0.61
21562	Rock	1.20	0.7	54.0	31.6	100	0.5	6.9	11.4	1656	3.59	10	1.5	<0.1	3.9	854	0.4	2.8	0.1	102	3.71
21563	Rock	1.79	7.3	>10000	2487	2202	>200	70.2	40.9	>10000	4.95	520	1.6	<0.1	2.1	289	38.0	1394	<0.1	135	1.70
21564	Rock	1.62	2.3	3004	1457	2855	12.4	72.6	43.0	>10000	5.24	20	7.2	<0.1	1.4	190	32.5	33.0	<0.1	87	5.15
21565	Rock	0.64	0.5	69.5	129.4	261	1.0	42.1	16.1	4976	4.42	12	1.1	<0.1	2.5	262	2.6	14.4	<0.1	153	4.00
21566	Rock	1.55	0.6	29.9	23.1	87	0.2	5.9	6.9	1418	3.21	6	1.3	<0.1	3.2	813	0.3	2.7	0.2	76	2.95
21567	Rock	1.97	2.4	4917	>10000	1031	103.3	62.3	60.7	>10000	5.92	59	1.4	0.2	1.3	125	11.7	117.0	1.9	217	0.92
21581	Rock	1.60	0.7	72.0	52.6	102	0.2	91.5	37.5	1401	6.66	41	0.8	<0.1	2.3	1012	0.1	8.0	<0.1	302	5.65
21582	Rock	1.43	0.5	25.4	63.7	90	0.4	90.3	36.2	1685	6.72	49	0.6	<0.1	1.9	514	0.3	6.6	<0.1	316	3.94
21583	Rock	3.23	0.3	4.7	102.7	327	0.1	34.2	21.6	3987	4.94	5	0.9	<0.1	2.4	415	1.0	5.6	<0.1	210	4.42
21584	Rock	1.96	1.1	21.4	22.8	71	0.2	78.4	31.6	1157	4.77	65	1.1	<0.1	2.7	818	0.2	4.7	<0.1	218	4.33
21585	Rock	4.47	0.7	117.2	869.9	2388	13.9	33.1	24.0	>10000	4.35	36	1.4	<0.1	2.8	468	22.1	11.3	<0.1	116	2.31
21586	Rock	2.67	1.3	89.2	13.0	187	0.1	35.6	39.3	1301	7.87	11	0.4	<0.1	0.6	468	0.5	2.0	0.2	424	2.74
21587	Rock	2.12	0.8	92.6	10.2	118	0.2	27.1	28.5	1469	7.50	8	0.6	<0.1	0.9	492	0.4	1.1	0.3	388	5.06
21588	Rock	0.96	1.6	73.0	9.4	185	0.2	14.7	29.3	1668	6.03	17	0.4	<0.1	1.3	434	1.1	1.7	0.1	351	4.08
21589	Rock	3.11	2.3	96.8	8.4	34	0.1	16.0	21.3	431	8.63	5	0.4	<0.1	0.8	341	0.3	2.4	0.7	352	1.59
21590	Rock	1.05	0.9	54.8	14.0	120	0.1	27.2	22.6	1087	6.19	10	1.0	<0.1	2.1	486	0.3	2.3	0.1	272	0.79
21591	Rock	2.00	0.2	210.7	172.7	671	0.9	112.0	35.0	4118	4.88	43	1.1	<0.1	2.2	399	2.3	5.1	<0.1	169	5.74
21592	Rock	1.85	0.4	200.9	74.1	265	0.8	51.8	25.2	3756	4.72	10	0.9	<0.1	2.4	124	0.5	3.2	<0.1	157	3.17
21601	Rock	2.16	0.6	451.3	985.5	1151	4.8	107.9	36.3	9121	5.70	41	1.2	<0.1	2.8	207	8.3	11.9	<0.1	275	3.34
21602	Rock	2.12	5.2	5398	4776	982	68.1	40.2	25.3	>10000	3.26	103	1.3	<0.1	2.4	367	14.0	146.5	0.2	115	0.52
21603	Rock	1.92	1.8	5317	6083	1023	8.7	105.2	30.1	>10000	4.76	43	1.4	<0.1	2.6	117	12.2	36.3	<0.1	311	0.49
21604	Rock	1.85	1.5	>10000	267.9	864	56.9	99.1	35.5	>10000	4.82	123	1.8	<0.1	2.4	184	11.2	338.8	<0.1	265	1.29
21605	Rock	2.67	22.1	3300	3225	8875	66.7	211.3	73.4	>10000	5.02	72	7.2	<0.1	0.6	463	75.5	61.8	<0.1	73	16.32
21606	Rock	2.93	35.7	5702	1319	1209	100.6	98.0	55.1	>10000	5.12	101	2.3	<0.1	1.9	217	11.7	129.7	<0.1	201	5.38
21607	Rock	1.84	1.7	>10000	151.3	1187	>200	44.8	30.4	>10000	5.49	1052	1.2	<0.1	2.6	352	18.9	3281	<0.1	96	2.08
21608	Rock	1.13	1.0	>10000	180.9	1136	172.7	71.1	28.8	>10000	6.34	57	0.7	<0.1	1.4	265	11.9	85.8	<0.1	172	4.34
21609	Rock	1.38	2.0	>10000	140.3	885	65.3	98.7	41.4	>10000	7.72	167	1.9	<0.1	0.8	386	6.6	370.2	<0.1	93	9.03

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 3 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
21559	Rock	0.225	10.7	78	0.75	840	0.143	6.81	0.115	3.19	2.6	36.7	21	0.4	8.7	1.0	<0.1	1	10	4.5	0.7
21560	Rock	0.243	14.6	109	0.74	976	0.261	9.01	0.349	3.81	1.2	19.2	29	0.6	8.4	2.0	<0.1	2	11	13.2	<0.1
21561	Rock	0.230	9.9	87	0.27	1172	0.151	6.92	0.702	2.78	0.6	42.1	21	0.4	6.9	1.5	<0.1	<1	10	6.0	0.3
21562	Rock	0.106	16.5	10	0.94	801	0.346	9.29	3.473	2.16	0.6	44.6	33	1.4	20.9	10.2	0.6	2	8	22.6	<0.1
21563	Rock	0.168	8.8	54	0.43	774	0.131	5.36	0.336	3.21	1.7	25.7	18	0.3	6.8	1.3	<0.1	<1	8	4.3	0.6
21564	Rock	0.104	6.5	39	1.52	364	0.057	3.42	0.140	3.18	1.3	23.6	12	0.2	6.0	0.4	<0.1	<1	6	2.4	0.8
21565	Rock	0.235	11.8	60	1.27	1040	0.229	7.46	0.300	2.95	1.2	21.3	23	0.5	9.3	2.2	0.1	<1	9	7.8	<0.1
21566	Rock	0.105	13.2	6	0.78	784	0.300	8.40	3.615	2.11	0.7	36.5	27	1.2	15.9	9.7	0.5	2	6	15.0	<0.1
21567	Rock	0.116	6.4	97	0.48	129	0.116	4.70	0.050	3.56	3.1	24.8	14	0.3	5.5	0.6	<0.1	<1	15	3.1	1.4
21581	Rock	0.200	11.4	197	3.71	885	0.388	7.28	2.456	2.38	0.5	16.6	23	0.6	12.7	2.9	0.1	1	25	17.0	<0.1
21582	Rock	0.218	10.1	187	4.01	1010	0.377	7.29	2.543	2.58	0.9	7.4	21	0.5	9.5	3.0	0.1	1	24	33.6	<0.1
21583	Rock	0.277	12.8	79	1.30	1151	0.244	8.01	0.642	2.82	0.9	7.2	25	0.7	8.2	1.8	0.1	2	12	5.4	<0.1
21584	Rock	0.235	13.5	217	3.95	1430	0.446	7.43	1.863	2.97	0.3	21.0	28	0.8	13.6	3.1	0.2	1	32	13.3	<0.1
21585	Rock	0.254	10.2	56	0.45	229	0.169	7.81	0.095	3.00	0.5	43.2	22	0.3	9.1	2.3	0.1	2	9	4.2	1.7
21586	Rock	0.167	5.8	29	2.31	311	0.220	8.07	3.825	1.12	0.1	4.4	14	0.7	5.0	0.7	<0.1	<1	29	47.6	3.7
21587	Rock	0.146	7.9	25	1.67	69	0.268	7.22	2.641	1.59	0.2	15.7	18	0.5	6.5	0.9	<0.1	<1	25	32.3	5.4
21588	Rock	0.186	6.8	9	2.41	648	0.250	7.96	2.548	2.20	0.1	27.1	16	0.6	7.6	1.3	<0.1	<1	18	49.6	1.9
21589	Rock	0.170	3.2	16	0.41	32	0.295	8.01	1.724	2.41	0.5	6.8	9	0.8	4.8	1.4	<0.1	1	21	19.1	6.1
21590	Rock	0.137	10.6	59	1.32	659	0.251	8.54	2.904	2.47	1.0	16.5	23	0.7	7.5	2.9	0.1	1	18	39.7	0.5
21591	Rock	0.172	8.3	221	2.08	659	0.151	5.54	0.097	2.72	0.5	26.2	17	0.3	7.4	0.9	<0.1	1	18	7.0	0.5
21592	Rock	0.234	8.9	89	0.44	1443	0.198	7.46	0.691	2.55	1.2	37.7	19	0.5	8.6	1.7	<0.1	2	10	8.8	0.3
21601	Rock	0.247	10.7	183	0.75	1358	0.202	8.10	1.335	2.70	2.7	24.6	24	0.5	9.1	1.3	<0.1	2	16	7.4	0.2
21602	Rock	0.175	9.4	89	0.22	344	0.163	6.62	0.142	2.86	1.2	28.0	20	0.7	7.2	1.8	<0.1	<1	11	2.9	1.0
21603	Rock	0.229	11.1	215	0.42	1425	0.196	7.20	0.558	3.47	1.4	30.7	23	0.4	7.8	1.7	<0.1	1	19	4.9	<0.1
21604	Rock	0.208	10.9	180	0.58	1425	0.164	7.00	1.262	3.51	1.6	31.8	21	0.3	8.7	1.2	<0.1	<1	18	3.6	0.7
21605	Rock	0.046	3.2	34	5.83	460	0.045	1.44	0.018	0.92	1.2	16.1	7	0.1	4.6	0.3	<0.1	1	6	4.5	0.7
21606	Rock	0.148	8.2	127	1.95	123	0.167	5.33	0.037	2.95	4.3	33.2	17	0.5	6.5	1.4	<0.1	1	21	8.8	1.9
21607	Rock	0.157	7.4	32	0.64	975	0.099	5.10	0.169	3.45	1.5	32.8	18	0.6	7.4	1.6	<0.1	<1	5	2.4	0.3
21608	Rock	0.104	6.9	193	1.35	789	0.183	4.23	0.051	2.93	3.9	9.9	14	0.3	6.2	1.5	<0.1	1	17	8.2	0.2
21609	Rock	0.067	5.8	94	2.19	94	0.055	1.96	0.107	1.87	1.2	15.1	10	<0.1	4.4	0.4	<0.1	<1	8	3.7	1.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Excalibur Resources Ltd.

Suite 2300, West Hastings Street
Vancouver BC V6E 3X2 Canada

Project:

Silver King

Report Date:

September 09, 2008

Page:

3 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	1EX	1EX
Analyte	Rb	Hf
Unit	ppm	ppm
MDL	0.1	0.1
21559	Rock	118.4 0.9
21560	Rock	190.1 0.5
21561	Rock	80.7 1.1
21562	Rock	72.1 1.6
21563	Rock	91.0 0.7
21564	Rock	73.3 0.5
21565	Rock	111.7 0.6
21566	Rock	65.2 1.3
21567	Rock	86.2 0.7
21581	Rock	47.4 0.7
21582	Rock	50.9 0.4
21583	Rock	85.7 0.3
21584	Rock	40.8 0.9
21585	Rock	104.6 0.8
21586	Rock	17.7 0.2
21587	Rock	39.6 0.5
21588	Rock	40.7 0.7
21589	Rock	49.7 0.2
21590	Rock	65.5 0.5
21591	Rock	78.8 0.6
21592	Rock	89.3 0.9
21601	Rock	101.2 0.5
21602	Rock	68.5 0.7
21603	Rock	114.8 0.8
21604	Rock	102.3 0.8
21605	Rock	30.9 0.3
21606	Rock	79.1 1.0
21607	Rock	86.7 0.7
21608	Rock	67.3 0.3
21609	Rock	38.6 0.3



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 4 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
21610	Rock	2.26	0.7	>10000	66.1	2232	17.8	24.5	11.2	>10000	2.73	77	1.1	<0.1	0.2	92	16.4	134.7	<0.1	28	0.41
21611	Rock	1.06	2.7	>10000	507.8	1814	14.5	259.3	98.6	>10000	6.64	46	2.8	<0.1	1.5	340	31.2	17.1	<0.1	205	9.28
21612	Rock	2.53	1.4	9198	272.7	258	51.0	154.8	74.0	>10000	4.19	83	2.0	<0.1	1.1	301	2.1	10.9	0.4	127	7.55
21613	Rock	1.93	0.3	84.7	22.4	86	0.6	5.4	16.9	1815	3.21	9	1.3	<0.1	3.1	343	<0.1	3.8	0.2	78	0.82
21614	Rock	1.26	0.9	1632	627.9	1166	8.6	151.1	59.2	6679	5.07	81	3.3	<0.1	2.2	395	11.3	9.2	<0.1	207	7.89
21615	Rock	1.56	3.1	6508	4009	3889	60.6	113.5	55.7	>10000	4.31	70	4.4	<0.1	0.8	160	74.6	40.0	<0.1	108	4.69
21616	Rock	3.02	2.2	>10000	244.5	1125	134.6	112.3	44.7	>10000	6.76	237	2.3	<0.1	1.9	280	16.0	509.8	<0.1	196	4.33
21617	Rock	2.00	2.2	>10000	194.3	1035	>200	41.4	26.3	>10000	4.87	220	1.0	<0.1	1.3	130	16.8	2095	0.1	135	2.09
21618	Rock	1.61	2.8	>10000	797.2	916	98.4	68.4	25.6	>10000	5.54	30	1.0	<0.1	1.7	123	10.9	21.4	<0.1	212	0.80
21619	Rock	2.53	3.7	319.6	2009	3324	10.9	50.8	38.1	>10000	4.41	59	1.7	<0.1	2.7	307	31.6	39.3	<0.1	147	4.09
21620	Rock	3.05	117.3	443.4	1120	1999	40.0	23.8	17.8	7049	2.91	120	1.5	7.8	0.4	27	39.2	76.2	1.4	558	0.08
21621	Rock	1.25	1.4	33.4	33.7	90	0.4	5.6	8.5	1088	2.83	3	1.3	<0.1	3.5	659	0.7	1.9	0.1	86	2.74
21623	Rock	1.97	8.7	197.5	37.3	135	1.4	28.1	55.5	5422	14.68	31	1.0	<0.1	1.5	368	1.4	11.9	<0.1	226	0.15
21624	Rock	2.71	3.0	115.3	27.7	173	0.3	69.3	32.6	691	5.05	122	6.8	<0.1	2.4	394	0.8	6.6	<0.1	316	0.36
21625	Rock	1.38	4.4	>10000	444.5	4491	>200	59.1	75.1	>10000	6.98	3409	1.2	3.0	0.7	99	148.2	1763	0.8	266	3.27
21626	Rock	4.65	5.8	>10000	3343	1271	53.2	118.8	67.3	>10000	9.23	50	2.7	<0.1	2.0	239	14.8	40.4	<0.1	58	0.23
21627	Rock	3.13	68.7	>10000	>10000	>10000	103.5	897.6	436.8	>10000	5.50	80	3.0	0.1	0.7	77	1263	169.6	<0.1	81	1.22
21628	Rock	2.82	13.9	>10000	745.7	>10000	>200	105.4	113.6	>10000	4.41	3152	1.5	<0.1	0.7	147	299.2	>4000	1.1	142	3.71
21629	Rock	6.16	9.7	>10000	306.2	6652	>200	105.6	63.9	>10000	4.76	1225	1.0	0.2	0.8	103	149.9	>4000	1.9	109	2.59
21641	Rock	4.54	1.3	179.7	36.7	266	1.9	28.7	16.2	501	7.95	38	0.8	<0.1	1.4	202	0.4	19.9	<0.1	374	0.16
21642	Rock	1.85	12.7	>10000	1030	2394	>200	97.9	66.2	>10000	8.29	266	1.4	0.8	1.3	338	43.7	1365	<0.1	99	3.73
21643	Rock	1.60	7.8	4244	2169	>10000	55.5	211.4	129.4	>10000	6.04	34	2.0	0.2	0.6	410	307.9	15.9	0.1	81	11.32
21644	Rock	2.89	11.8	7673	969.5	1308	>200	59.9	40.1	>10000	4.95	47	1.2	0.3	1.2	280	25.5	648.1	<0.1	158	6.67
21645	Rock	2.85	51.7	>10000	1114	5399	>200	109.5	75.2	>10000	6.31	7934	1.2	0.2	1.2	132	137.0	>4000	0.6	211	2.59
21646	Rock	2.74	1.9	233.5	41.2	233	3.4	36.9	27.0	875	9.60	56	0.8	<0.1	1.0	177	0.6	13.3	<0.1	375	0.44
21647	Rock	1.52	1.4	216.0	41.1	175	6.3	18.4	9.9	248	6.65	68	0.6	<0.1	1.2	192	0.4	9.8	<0.1	324	0.08
21648	Rock	4.56	1.8	117.6	33.9	77	0.8	36.3	21.9	169	10.39	40	1.3	<0.1	1.4	219	0.3	5.0	<0.1	394	0.07
21649	Rock	1.02	0.7	134.0	10.3	148	1.4	35.7	39.0	1861	10.01	21	0.3	<0.1	0.7	523	0.8	7.1	0.6	481	4.40
21650	Rock	2.68	3.3	578.2	165.2	423	5.1	55.9	49.5	2815	7.67	231	2.0	0.1	1.3	66	4.3	32.8	<0.1	266	0.09
21651	Rock	1.61	12.1	715.6	1782	2082	53.5	68.2	64.1	>10000	7.16	544	2.9	2.8	1.7	90	62.8	158.8	<0.1	380	0.12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 4 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	Analyte	Unit	MDL	1EX P	1EX La	1EX Cr	1EX Mg	1EX Ba	1EX Ti	1EX Al	1EX Na	1EX K	1EX W	1EX Zr	1EX Ce	1EX Sn	1EX Y	1EX Nb	1EX Ta	1EX Be	1EX Sc	1EX Li	1EX S
				%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1
21610	Rock			0.043	1.3	42	0.11	168	0.032	0.67	0.016	0.57	0.7	4.1	3	0.1	2.4	0.4	<0.1	<1	3	1.2	1.2
21611	Rock			0.128	7.5	173	3.38	545	0.220	4.35	0.084	2.75	4.5	31.1	14	0.3	6.4	1.7	<0.1	2	19	11.3	1.0
21612	Rock			0.091	5.0	162	2.59	419	0.102	2.85	0.077	1.81	3.8	28.9	10	0.2	6.3	0.4	<0.1	1	17	8.2	0.2
21613	Rock			0.110	13.7	8	0.64	284	0.121	8.53	6.346	1.21	0.9	42.1	30	0.8	9.2	2.9	0.1	1	6	10.2	0.1
21614	Rock			0.173	9.1	190	3.39	459	0.166	5.24	0.993	2.54	1.7	37.6	18	0.5	9.1	0.9	<0.1	2	19	16.6	0.6
21615	Rock			0.069	3.8	103	1.08	261	0.063	1.96	0.049	1.18	1.0	27.7	7	0.2	4.1	0.3	<0.1	<1	9	5.1	1.1
21616	Rock			0.157	8.8	228	1.38	202	0.120	4.97	0.359	3.40	0.8	27.5	19	1.2	8.2	0.8	<0.1	<1	19	5.9	1.4
21617	Rock			0.110	6.0	134	0.74	229	0.054	3.50	0.075	4.00	0.4	19.8	12	0.3	5.2	0.5	<0.1	<1	12	2.6	1.3
21618	Rock			0.170	6.4	302	0.21	82	0.087	5.66	0.200	5.78	0.9	21.2	15	0.6	6.0	0.6	<0.1	<1	19	1.5	2.1
21619	Rock			0.231	10.6	80	0.80	155	0.139	6.78	0.176	6.88	1.3	34.3	21	0.4	8.9	1.3	<0.1	1	11	2.1	2.6
21620	Rock			0.054	3.1	51	0.08	331	0.060	1.90	0.218	0.96	4.9	10.9	5	0.4	4.3	0.3	<0.1	1	11	3.0	<0.1
21621	Rock			0.083	13.4	9	0.74	642	0.237	8.07	2.715	2.50	0.9	38.2	27	0.8	15.1	8.4	0.4	2	7	9.3	<0.1
21623	Rock			0.071	14.2	37	0.20	879	0.088	6.32	0.745	1.98	0.5	20.6	25	0.6	17.3	0.7	<0.1	2	15	8.9	0.3
21624	Rock			0.191	13.2	29	0.41	560	0.264	8.80	1.291	2.94	0.7	73.8	27	0.9	10.0	1.7	<0.1	<1	20	28.8	<0.1
21625	Rock			0.046	3.9	50	1.31	37	0.038	2.09	0.181	2.09	0.4	15.6	10	0.5	5.2	0.2	<0.1	<1	13	2.6	3.7
21626	Rock			0.117	9.2	117	0.12	670	0.072	5.01	0.140	4.56	2.1	30.4	18	0.4	8.2	0.6	<0.1	<1	11	1.8	0.2
21627	Rock			0.051	2.9	52	0.35	147	0.038	1.42	0.009	0.83	1.6	12.4	5	<0.1	3.7	0.2	<0.1	<1	7	2.9	0.2
21628	Rock			0.088	<0.1	184	1.20	44	0.063	2.93	0.389	2.58	0.3	10.9	8	0.3	3.8	0.3	<0.1	<1	14	3.7	4.9
21629	Rock			0.077	<0.1	158	0.97	56	0.045	2.61	0.082	3.11	1.0	14.4	9	0.3	4.0	0.3	<0.1	<1	12	3.4	3.4
21641	Rock			0.131	6.3	62	1.11	458	0.122	8.07	2.496	1.97	0.1	19.0	15	0.5	2.8	1.0	<0.1	<1	29	28.5	1.8
21642	Rock			0.117	8.3	188	1.05	441	0.079	3.42	0.054	3.41	1.9	21.8	16	0.5	7.1	0.8	<0.1	<1	16	4.5	1.0
21643	Rock			0.048	6.2	89	2.77	53	0.050	1.70	0.026	1.23	2.0	13.4	10	0.4	4.9	0.5	<0.1	2	7	2.6	1.3
21644	Rock			0.094	6.9	153	2.08	206	0.086	3.50	0.060	3.07	2.0	19.1	13	0.4	5.5	0.7	<0.1	<1	14	4.6	1.2
21645	Rock			0.104	3.9	209	0.98	29	0.066	3.92	0.241	4.41	0.3	17.6	12	0.3	5.1	0.4	<0.1	<1	16	2.9	4.1
21646	Rock			0.132	4.7	71	0.82	20	0.126	7.81	1.564	2.24	<0.1	13.1	12	0.5	3.7	0.6	<0.1	<1	38	19.1	6.9
21647	Rock			0.048	4.9	70	0.51	161	0.118	8.20	1.109	3.03	0.1	23.0	12	0.7	3.1	0.9	<0.1	1	28	12.1	3.0
21648	Rock			0.117	7.4	85	0.35	28	0.145	8.80	1.374	3.10	<0.1	24.8	18	0.7	3.6	1.4	<0.1	1	36	9.5	5.0
21649	Rock			0.117	8.4	32	3.09	87	0.202	7.16	2.002	1.47	0.1	4.9	19	0.8	5.9	0.6	<0.1	<1	40	46.0	6.1
21650	Rock			0.117	5.8	149	0.21	1137	0.105	6.36	0.557	4.84	8.9	29.5	13	0.6	5.9	0.5	<0.1	1	29	5.2	<0.1
21651	Rock			0.159	10.3	190	0.22	1238	0.197	7.89	0.303	5.82	17.8	36.7	20	0.4	15.6	1.0	<0.1	1	39	6.5	<0.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Excalibur Resources Ltd.

Suite 2300, West Hastings Street
Vancouver BC V6E 3X2 Canada

Project:

Silver King

Report Date:

September 09, 2008

Page:

4 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	1EX	1EX
Analyte	Rb	Hf
Unit	ppm	ppm
MDL	0.1	0.1
21610	Rock	14.3 <0.1
21611	Rock	93.7 0.8
21612	Rock	55.0 0.7
21613	Rock	34.5 1.1
21614	Rock	114.5 0.7
21615	Rock	49.2 0.5
21616	Rock	97.3 0.7
21617	Rock	89.0 0.6
21618	Rock	129.6 0.7
21619	Rock	184.7 0.9
21620	Rock	27.3 0.4
21621	Rock	79.1 1.1
21623	Rock	61.3 0.6
21624	Rock	87.1 2.1
21625	Rock	54.6 0.4
21626	Rock	100.5 0.8
21627	Rock	30.2 0.3
21628	Rock	69.8 0.4
21629	Rock	72.1 0.3
21641	Rock	73.5 0.6
21642	Rock	68.7 0.5
21643	Rock	33.3 0.3
21644	Rock	64.4 0.5
21645	Rock	101.2 0.5
21646	Rock	91.4 0.4
21647	Rock	118.5 0.6
21648	Rock	117.9 0.8
21649	Rock	42.0 0.1
21650	Rock	96.2 0.8
21651	Rock	112.9 1.1



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 5 of 5 Part 1

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
21652	Rock	2.24	64.2	57.4	921.2	896	11.5	6.0	3.3	3104	0.87	26	0.3	0.4	<0.1	279	13.7	16.6	1.2	103	7.07
21653	Rock	2.45	12.9	152.5	1890	4371	58.3	20.0	17.4	>10000	3.00	66	1.1	3.0	0.5	273	82.1	81.0	<0.1	295	13.15
21654	Rock	4.61	38.0	339.9	1122	2532	69.7	9.2	8.5	>10000	1.67	69	0.4	1.1	0.1	154	51.0	149.3	0.1	205	7.77
21655	Rock	2.02	1.4	44.5	51.6	335	0.9	22.0	7.0	1519	6.38	27	1.1	0.3	0.4	88	2.1	3.6	<0.1	53	0.14
21656	Rock	1.96	133.1	101.1	1904	7786	63.9	14.7	8.0	>10000	2.38	43	1.6	2.7	0.1	242	102.4	70.9	<0.1	346	11.96
21657	Rock	6.67	8.0	30.0	409.6	1746	11.0	6.6	2.1	>10000	2.53	28	0.5	0.2	<0.1	200	15.6	20.8	<0.1	108	14.61
21658	Rock	3.53	127.3	75.5	1091	3528	39.8	9.3	4.9	9423	1.73	29	1.3	4.0	<0.1	321	53.2	43.2	0.3	268	10.91
21659	Rock	1.19	28.7	45.4	616.4	2933	16.9	12.1	5.6	7696	1.43	58	0.6	0.9	0.2	57	41.9	21.5	<0.1	148	2.02
21660	Rock	1.06	72.8	172.0	937.8	1501	41.9	24.1	25.0	1315	8.73	632	5.0	5.4	1.7	178	12.9	43.8	<0.1	531	0.21
21681	Rock	2.66	2.4	150.9	3815	9793	16.8	101.9	38.1	>10000	5.77	48	1.2	<0.1	1.5	337	84.1	21.2	<0.1	172	9.93
21682	Rock	2.44	0.7	43.3	44.4	294	0.5	34.1	17.8	2861	5.01	5	0.8	<0.1	3.3	229	1.2	3.4	<0.1	154	3.42
21683	Rock	1.33	0.5	220.8	1677	3971	8.7	110.5	37.1	4746	3.62	54	1.4	<0.1	3.5	222	26.8	19.8	<0.1	337	3.98
21684	Rock	0.91	0.8	71.4	67.9	141	0.6	56.6	23.1	548	2.34	54	2.1	<0.1	2.9	550	0.7	6.0	<0.1	121	2.30
21685	Rock	2.54	8.7	101.0	699.5	1059	4.3	24.7	15.8	1134	3.91	65	2.1	<0.1	3.8	392	5.9	16.1	0.1	105	1.40



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Excalibur Resources Ltd.**

Suite 2300, West Hastings Street
 Vancouver BC V6E 3X2 Canada

Project: Silver King

Report Date: September 09, 2008

Page: 5 of 5 Part 2

CERTIFICATE OF ANALYSIS

VAN08007781.1

Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
21652	Rock	0.010	0.7	17	0.13	78	0.013	0.34	0.045	0.24	0.9	1.8	1	0.1	1.3	0.2	<0.1	<1	2	0.8	0.4
21653	Rock	0.069	3.5	59	2.69	307	0.066	2.44	0.152	2.01	7.5	10.9	7	0.2	4.3	0.4	<0.1	<1	11	2.8	1.2
21654	Rock	0.022	1.6	20	1.34	164	0.016	0.64	0.037	0.50	2.3	3.4	3	0.2	2.1	0.1	<0.1	<1	4	3.7	0.3
21655	Rock	0.038	3.4	15	0.15	114	0.031	1.68	0.132	0.49	0.2	11.6	8	0.4	7.9	0.3	<0.1	<1	4	5.5	<0.1
21656	Rock	0.022	2.0	22	2.21	138	0.017	0.65	0.007	0.49	2.2	3.3	4	0.1	3.1	<0.1	<0.1	<1	4	1.2	0.9
21657	Rock	0.013	2.3	9	3.79	34	0.002	0.09	0.025	0.04	1.0	0.7	3	0.1	1.5	<0.1	<0.1	1	1	2.5	0.3
21658	Rock	0.014	1.3	21	1.29	107	0.014	0.53	0.057	0.28	1.7	2.8	2	<0.1	2.2	<0.1	<0.1	<1	3	1.6	0.6
21659	Rock	0.033	1.3	25	0.21	371	0.017	0.61	0.010	0.59	1.2	4.1	2	0.1	2.4	0.2	<0.1	<1	6	0.2	0.4
21660	Rock	0.175	7.4	197	0.16	1194	0.178	7.66	0.294	5.32	21.8	39.9	15	0.4	6.3	0.8	<0.1	2	38	4.2	0.5
21681	Rock	0.101	6.4	144	3.47	107	0.093	3.90	0.041	2.94	1.1	22.6	12	0.3	6.0	0.4	<0.1	<1	17	4.8	1.6
21682	Rock	0.240	12.9	90	0.85	1175	0.204	7.76	0.087	3.49	1.9	27.6	26	0.5	9.4	1.5	<0.1	<1	13	5.5	<0.1
21683	Rock	0.253	14.6	334	1.39	1431	0.172	7.93	2.630	3.87	0.6	39.1	28	0.5	10.5	0.7	<0.1	1	31	8.0	0.5
21684	Rock	0.163	9.9	117	0.48	813	0.149	6.44	0.085	4.42	2.3	44.0	18	0.6	7.2	1.4	<0.1	<1	8	6.6	0.6
21685	Rock	0.261	13.5	84	0.54	1201	0.160	8.20	0.366	5.20	1.1	104.1	26	0.5	9.9	1.4	<0.1	1	11	7.0	0.6



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Excalibur Resources Ltd.

Suite 2300, West Hastings Street
Vancouver BC V6E 3X2 Canada

Project:

Silver King

Report Date:

September 09, 2008

Page:

5 of 5

Part 3

CERTIFICATE OF ANALYSIS

VAN08007781.1

	Method	1EX	1EX
	Analyte	Rb	Hf
	Unit	ppm	ppm
	MDL	0.1	0.1
21652	Rock	4.0	<0.1
21653	Rock	39.9	0.3
21654	Rock	10.9	<0.1
21655	Rock	13.9	0.3
21656	Rock	12.2	0.1
21657	Rock	0.9	<0.1
21658	Rock	7.5	<0.1
21659	Rock	11.9	0.1
21660	Rock	98.8	1.3
21681	Rock	73.3	0.6
21682	Rock	110.3	0.7
21683	Rock	115.5	1.1
21684	Rock	74.2	1.0
21685	Rock	128.8	1.2

QUALITY CONTROL REPORT

VAN08007781.1

Method	WGHT	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
REP G1	QC		0.5	3.1	22.3	64	<0.1	5.8	5.9	725	2.31	<1	2.9	<0.1	5.5	680	<0.1	<0.1	0.2	55	2.39
21590	Rock	1.05	0.9	54.8	14.0	120	0.1	27.2	22.6	1087	6.19	10	1.0	<0.1	2.1	486	0.3	2.3	0.1	272	0.79
REP 21590	QC		0.9	52.4	13.0	114	0.1	27.0	23.1	1093	6.25	10	0.8	<0.1	2.1	475	0.3	2.1	0.1	265	0.81
21627	Rock	3.13	68.7	>10000	>10000	>10000	103.5	897.6	436.8	>10000	5.50	80	3.0	0.1	0.7	77	1263	169.6	<0.1	81	1.22
REP 21627	QC		65.6	>10000	>10000	>10000	96.8	866.5	405.7	>10000	5.30	75	2.7	0.1	0.5	73	1192	157.6	<0.1	80	1.11
Reference Materials																					
STD DST6	Standard		11.2	121.3	34.1	158	0.3	31.9	13.2	902	3.64	22	7.9	<0.1	6.6	297	6.7	5.5	4.6	118	2.09
STD DST6	Standard		10.8	115.9	33.0	153	0.2	30.2	11.7	838	3.50	22	7.2	<0.1	6.3	274	5.6	5.1	4.4	115	2.03
STD DST6	Standard		12.1	121.3	34.6	161	0.3	32.0	13.4	946	3.80	24	6.8	<0.1	5.8	310	6.2	5.3	4.7	113	2.17
STD DST6	Standard		11.3	128.1	34.9	166	0.3	31.3	14.3	925	3.83	23	8.2	<0.1	6.7	308	5.3	5.4	4.8	104	2.17
STD DST6	Standard		12.0	131.3	37.1	177	0.2	29.5	14.7	901	3.68	25	7.2	<0.1	5.7	291	6.6	5.3	4.9	98	2.04
STD OREAS45P	Standard		2.0	725.0	22.3	146	0.4	397.4	121.0	1271	18.32	12	2.2	<0.1	9.2	33	0.2	1.1	0.2	318	0.28
STD OREAS45P	Standard		2.0	693.3	22.8	136	0.2	386.1	117.0	1268	18.92	13	2.0	<0.1	9.4	33	0.2	0.8	0.2	313	0.28
STD OREAS45P	Standard		2.0	753.2	20.5	134	0.3	380.5	118.9	1305	20.39	11	2.1	<0.1	8.0	31	<0.1	0.8	0.2	295	0.29
STD OREAS45P	Standard		1.8	767.0	24.1	143	0.2	397.4	129.1	1345	19.47	12	2.4	<0.1	9.8	33	0.1	0.9	0.2	291	0.32
STD OREAS45P	Standard		2.0	678.1	23.4	155	0.4	378.4	120.0	1147	18.99	11	2.2	<0.1	9.3	31	0.2	1.4	0.2	282	0.28
STD DST6 Expected			12.7	129.7	36.7	176	0.4	30.4	13.7	980	3.91	24	7.8	0	6.9	298	5.6	5.4	4.7	115	2.26
STD OREAS45P Expected			1.9	749	22	141	0.32	385	120	1270	19.22	13.4	2.4	0.055	9.8	32.6	0.2	0.92	0.21	267	0.3
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	2.2	2.5	<1	<0.1	<0.1	<0.2	12	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
G1	Prep Blank	<0.01	0.8	3.1	22.8	56	<0.1	5.4	5.8	768	2.46	<1	3.4	<0.1	6.4	700	0.1	<0.1	0.2	57	2.53
G1	Prep Blank	<0.01																			
G1	Prep Blank		0.7	2.5	21.7	60	<0.1	6.6	6.1	768	2.45	<1	3.3	<0.1	5.6	676	<0.1	<0.1	0.2	59	2.44

QUALITY CONTROL REPORT

VAN08007781.1

Method	Analyte	Unit	MDL	1EX P	1EX La	1EX Cr	1EX Mg	1EX Ba	1EX Ti	1EX Al	1EX Na	1EX K	1EX W	1EX Zr	1EX Ce	1EX Sn	1EX Y	1EX Nb	1EX Ta	1EX Be	1EX Sc	1EX Li	1EX S
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
Pulp Duplicates																							
REP G1	QC	0.088	19.7	12	0.68	1014	0.240	7.24	2.422	2.84	0.2	8.3	41	1.2	12.9	20.8	1.2	4	5	36.6	<0.1		
21590	Rock	0.137	10.6	59	1.32	659	0.251	8.54	2.904	2.47	1.0	16.5	23	0.7	7.5	2.9	0.1	1	18	39.7	0.5		
REP 21590	QC	0.138	11.3	57	1.32	645	0.245	8.57	2.909	2.41	0.9	15.8	24	0.6	7.3	2.7	0.1	2	18	35.8	0.5		
21627	Rock	0.051	2.9	52	0.35	147	0.038	1.42	0.009	0.83	1.6	12.4	5	<0.1	3.7	0.2	<0.1	<1	7	2.9	0.2		
REP 21627	QC	0.046	2.6	49	0.34	141	0.035	1.28	0.008	0.82	1.6	10.5	5	0.2	3.4	0.2	<0.1	<1	7	3.4	0.2		
Reference Materials																							
STD DST6	Standard	0.089	25.4	240	1.02	611	0.362	6.71	1.658	1.36	7.7	56.2	53	6.5	15.1	9.2	0.5	4	12	27.1	<0.1		
STD DST6	Standard	0.086	23.8	209	0.97	591	0.351	6.61	1.544	1.34	7.5	61.0	52	6.1	14.3	9.6	0.5	2	10	22.7	<0.1		
STD DST6	Standard	0.094	22.9	248	1.06	708	0.382	6.88	1.806	1.52	7.9	60.2	51	6.1	13.8	10.3	0.5	3	11	26.0	<0.1		
STD DST6	Standard	0.088	25.6	243	1.05	625	0.363	6.69	1.660	1.48	8.0	72.2	52	5.7	16.5	11.1	0.5	3	11	21.0	<0.1		
STD DST6	Standard	0.094	22.3	251	0.98	673	0.356	6.51	1.691	1.44	7.8	58.1	47	6.6	14.5	9.6	0.5	2	10	25.2	<0.1		
STD OREAS45P	Standard	0.044	23.7	1097	0.22	265	0.995	6.69	0.078	0.34	1.0	154.0	48	2.2	12.6	20.4	1.2	<1	70	14.1	<0.1		
STD OREAS45P	Standard	0.045	23.7	1076	0.22	267	0.990	6.61	0.077	0.36	1.1	159.3	49	2.1	12.7	20.2	1.3	<1	66	12.9	<0.1		
STD OREAS45P	Standard	0.047	22.9	1078	0.23	266	1.065	6.96	0.084	0.36	1.1	157.1	49	2.4	12.2	19.9	1.1	<1	66	14.8	<0.1		
STD OREAS45P	Standard	0.047	25.1	1136	0.22	270	1.055	6.72	0.095	0.38	1.3	168.4	48	2.0	14.2	20.5	1.3	1	67	12.5	<0.1		
STD OREAS45P	Standard	0.045	25.0	1097	0.21	259	1.045	6.98	0.077	0.35	1.1	150.1	48	2.5	12.4	19.6	1.2	<1	64	13.3	<0.1		
STD DST6 Expected		0.099	25.7	230	1.03	702	0.387	6.92	1.673	1.42	7.4	50.1	52	6.3	15.2	8.1	0.6	3	10	25.4			
STD OREAS45P Expected		0.047	24.8	1140	0.22	281	1.18	6.82	0.081	0.35	1.1	279	48.9	3.1	18	24	1.33		67	14.7	0.03		
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1		
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.006	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1		
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1		
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1		
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	0.09	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1		
Prep Wash																							
G1	Prep Blank	0.088	21.9	13	0.71	1072	0.247	7.53	2.538	2.91	<0.1	8.5	45	1.3	14.1	22.2	1.2	3	5	37.1	<0.1		
G1	Prep Blank																						
G1	Prep Blank	0.089	20.6	14	0.70	1023	0.255	7.15	2.527	2.92	0.3	8.6	42	1.3	13.5	22.2	1.2	2	5	39.3	<0.1		

QUALITY CONTROL REPORT

VAN08007781.1

Method	1EX	1EX
Analyte	Rb	Hf
Unit	ppm	ppm
MDL	0.1	0.1
Pulp Duplicates		
REP G1	QC	101.5 0.5
21590	Rock	65.5 0.5
REP 21590	QC	65.6 0.4
21627	Rock	30.2 0.3
REP 21627	QC	29.3 0.2
Reference Materials		
STD DST6	Standard	59.6 1.7
STD DST6	Standard	58.0 1.6
STD DST6	Standard	56.7 1.7
STD DST6	Standard	65.5 1.8
STD DST6	Standard	53.6 1.7
STD OREAS45P	Standard	22.8 4.0
STD OREAS45P	Standard	23.6 4.0
STD OREAS45P	Standard	20.5 3.7
STD OREAS45P	Standard	24.1 3.9
STD OREAS45P	Standard	23.0 4.1
STD DST6 Expected		61.2 1.8
STD OREAS45P Expected		23 3.8
BLK	Blank	<0.1 <0.1
BLK	Blank	<0.1 <0.1
BLK	Blank	<0.1 <0.1
BLK	Blank	<0.1 <0.1
BLK	Blank	<0.1 <0.1
Prep Wash		
G1	Prep Blank	100.4 0.6
G1	Prep Blank	
G1	Prep Blank	94.7 0.6